CUMULATIVE AUTHOR INDEX

Journal of Economic Entomology,

Volume 82, 1989

Abro, G.H., 385
Achik, J., 1572
Adams, R.G., 285, 1448
Adeyeye, O.A., 942
Adler, P.H., 1344
Adlerz, W.C., 1733
Agnello, A.M., 482
Aguda, R.M., 416
Ahrens, E.H., 524, 539, 850
Aliniazee, M.T., 1716
Ali, J.N., 291, 1106
Allred, D.B., 788
Alm, S.R., 477, 1180, 1604
Alvarado, M., 649
Amaral, N.K., 847
Anderson, K., 1254
Anderson, T.E., 83
Andrews, K.L., 134
Appel, A.G., 152
Apriyanto, D., 445
Arango, G., 1764
Archibald, D.E., 29
Argentine, J.A., 698
Armbrust, E.J., 923
Armstrong, J.W., 1667
Arnason, J.T., 1455
Arthur, F., 660
Arthur, F.H., 1508

Babcock, J.M., 281
Backman, C.B., 1224
Backus, E.A., 766
Baker, J.E., 1548
Baker, T.C., 1339, 1825
Ban, P.M., 1643
Barak, A.V., 1470
Baranowski, R.M., 139
Barfield, C.S., 134
Barker, G.M., 1807
Barnard, D.R., 854
Barnby, M.A., 58
Barnes, M.M., 1096
Barnett, W.W., 1191
Barney, R.J., 825
Barry, D., 1207
Bartel, D.L., 251
Bartelt, R.J., 1054
Beal, R.H., 1638
Beard, J.B., 1729
Beaver, R.J., 716
Bechinski, E.J., 608
Behle, R.W., 439
Belair, G., 762
Bell, R.L., 458
Benedict, J.H., 1554
Bennett, G.W., 833, 1633
Berberet, R.C., 264
Bernhardt, J.L., 1757
Billings, R.F., 1702
Bistline, F.W., 1733
Bjostad, L.B., 773
Blake, E.A., 1691
Blum, M.S., 942
Boethel, D.J., 275, 1078
Boisvenue, R.J., 1843
Boiteau, G., 803
Boivin, G., 762, 1722
Boncodin, M.E.M., 1219
Borden, J.H., 1399
Boucher, T.J., 220
Boucias, D.G., 404
Bradley, J.R. Jr., 52
Branson, T.F., 1792
Braxton, E.G., 1224
Brenner, R.J., 159
Brewbaker, J.L., 1245
Brewer, K.K., 17
Brewer, M.J., 1520
Brezner, J., 1395
Brindley, W.A., 1335
Brody, A.K., 462
Brooks, M.A., 1073
Brown, C.M., 799
Brown, D.A., 1145
Brown, S.A., 1667
Brun, L.O., 1311
Bruzzone, N.D., 1482
Bull, D.L., 1512
Buntin, G.D., 301
Burditt, A.K. Jr., 1379, 1386, 1679
Burg, J.G., 171
Burke, H.R., 1626
Burris, E., 574
Busacca, J.D., 910
Bush, L., 466
Butt, B.A., 458

Caddel, J.L., 264
Campanhola, C., 22, 1495, 1502, 1527
Cantor, A.H., 171
Cardona, C., 310, 649
Carey, J.R., 104
Carino, F.A., 1554
Carpenter, J.E., 109, 1354
Cartwright, B., 561, 1367
Castillo, C., 23
Cate, J.R., 1626
Cave, F.E., 1585
Celedonio H., H., 1663
Chagnon, M., 1350
Chamberlain, W.F., 1375
Chang, F., 1046
Charlet, L.D., 130, 910
Chen, A.C., 1140
Cherry, R.H., 507
Cheshire, J.M. Jr., 270
Chew, V., 186
Church, G., 574
Clark, J.M., 698
Clark, M.R., 1576
Clary, B.C., 970
Clayton, T.E., 932
Clemens, T., 204
Cline, L.D., 430
Clower, D.F., 52
Coates, W.W., 1191
Cochran, D.G., 336
Coffelt, M.A., 1423
Cone, W.W., 1237
Conley, J., 11
Cooksey, L.M., 850
Cooper, R.L., 259
Cornect, M., 1040
Cornelius, P.L., 1466
Coudriet, D.L., 983
Couey, H.M., 213
Coviello, R., 1191
Cramer, L.G., 847
Crocker, R.L., 1729
Croft, B.A., 996
Cromroy, H.L., 109
Cronholm, G.B., 1230
Croughan, S.S., 232, 236
Cunningham, R.T., 213, 860
Cuperus, G.W., 970
Curtis, C.E., 454
Cushing, N.L., 5
Cutkomp, L.K., 989

Dauterman, W.C., 41, 45
Davey, R.B., 539, 850
Davis, D.W., 788
Davis, F.M., 919, 1230, 1460, 1490
Davis, J.H., 1289
DeGrandi-Hoffman, G., 580
DeLoach, J.R., 175
de Oliveira, D., 1350
DeMark, J.J., 1633
Decker, T.N., 687
Deecher, D.C., 1395
Delaplane, K.S., 95, 1363
Dennehy, T.J., 197, 354, 692
Dimond, J.B., 665
Dix, M.E., 879
Doane, J.F., 1543
Doisy, K.E., 530
Dowd, P.F., 396
Drake, G.E., 1197
Drane, J.W., 639
Du Toit, F., 1251, 1779
Du Toit, W.J., 793
Durant, J.A., 626
Dybas, R.A., 385

East, D.A., 1367
Eckenrode, C.J., 1111, 1169
Economopoulos, A.P., 668, 1482
Edelson, J.V., 209, 561, 1367
Edwards, C.R., 1212
Edwards, D.C., 101

CUMULATIVE AUTHOR INDEX

Journal of Economic Entomology,

Volume 82, 1989

Abro, G.H., 385
Achik, J., 1572
Adams, R.G., 285, 1448
Adeyeye, O.A., 942
Adler, P.H., 1344
Adlerz, W.C., 1733
Agnello, A.M., 482
Aguda, R.M., 416
Ahrens, E.H., 524, 539, 850
Aliniazee, M.T., 1716
Ali, J.N., 291, 1106
Allred, D.B., 788
Alm, S.R., 477, 1180, 1604
Alvarado, M., 649
Amaral, N.K., 847
Anderson, K., 1254
Anderson, T.E., 83
Andrews, K.L., 134
Appel, A.G., 152
Apriyanto, D., 445
Arango, G., 1764
Archibald, D.E., 29
Argentine, J.A., 698
Armbrust, E.J., 923
Armstrong, J.W., 1667
Arnason, J.T., 1455
Arthur, F., 660
Arthur, F.H., 1508

Babcock, J.M., 281
Backman, C.B., 1224
Backus, E.A., 766
Baker, J.E., 1548
Baker, T.C., 1339, 1825
Ban, P.M., 1643
Barak, A.V., 1470
Baranowski, R.M., 139
Barfield, C.S., 134
Barker, G.M., 1807
Barnard, D.R., 854
Barnby, M.A., 58
Barnes, M.M., 1096
Barnett, W.W., 1191
Barney, R.J., 825
Barry, D., 1207
Bartel, D.L., 251
Bartelt, R.J., 1054
Beal, R.H., 1638
Beard, J.B., 1729
Beaver, R.J., 716
Bechinski, E.J., 608
Behle, R.W., 439
Belair, G., 762
Bell, R.L., 458
Benedict, J.H., 1554
Bennett, G.W., 833, 1633
Berberet, R.C., 264
Bernhardt, J.L., 1757
Billings, R.F., 1702
Bistline, F.W., 1733
Bjostad, L.B., 773
Blake, E.A., 1691
Blum, M.S., 942
Boethel, D.J., 275, 1078
Boisvenue, R.J., 1843
Boiteau, G., 803
Boivin, G., 762, 1722
Boncodin, M.E.M., 1219
Borden, J.H., 1399
Boucher, T.J., 220
Boucias, D.G., 404
Bradley, J.R. Jr., 52
Branson, T.F., 1792
Braxton, E.G., 1224
Brenner, R.J., 159
Brewbaker, J.L., 1245
Brewer, K.K., 17
Brewer, M.J., 1520
Brezner, J., 1395
Brindley, W.A., 1335
Brody, A.K., 462
Brooks, M.A., 1073
Brown, C.M., 799
Brown, D.A., 1145
Brown, S.A., 1667
Brun, L.O., 1311
Bruzzone, N.D., 1482
Bull, D.L., 1512
Buntin, G.D., 301
Burditt, A.K. Jr., 1379, 1386, 1679
Burg, J.G., 171
Burke, H.R., 1626
Burris, E., 574
Busacca, J.D., 910
Bush, L., 466
Butt, B.A., 458

Caddel, J.L., 264
Campanhola, C., 22, 1495, 1502, 1527
Cantor, A.H., 171
Cardona, C., 310, 649
Carey, J.R., 104
Carino, F.A., 1554
Carpenter, J.E., 109, 1354
Cartwright, B., 561, 1367
Castillo, C., 23
Cate, J.R., 1626
Cave, F.E., 1585
Celedonio H., H., 1663
Chagnon, M., 1350
Chamberlain, W.F., 1375
Chang, F., 1046
Charlet, L.D., 130, 910
Chen, A.C., 1140
Cherry, R.H., 507
Cheshire, J.M. Jr., 270
Chew, V., 186
Church, G., 574
Clark, J.M., 698
Clark, M.R., 1576
Clary, B.C., 970
Clayton, T.E., 932
Clemens, T., 204
Cline, L.D., 430
Clower, D.F., 52
Coates, W.W., 1191
Cochran, D.G., 336
Coffelt, M.A., 1423
Cone, W.W., 1237
Conley, J., 11
Cooksey, L.M., 850
Cooper, R.L., 259
Cornect, M., 1040
Cornelius, P.L., 1466
Coudriet, D.L., 983
Couey, H.M., 213
Coviello, R., 1191
Cramer, L.G., 847
Crocker, R.L., 1729
Croft, B.A., 996
Cromroy, H.L., 109
Cronholm, G.B., 1230
Croughan, S.S., 232, 236
Cunningham, R.T., 213, 860
Cuperus, G.W., 970
Curtis, C.E., 454
Cushing, N.L., 5
Cutkomp, L.K., 989

Dauterman, W.C., 41, 45
Davey, R.B., 539, 850
Davis, D.W., 788
Davis, F.M., 919, 1230, 1460, 1490
Davis, J.H., 1289
DeGrandi-Hoffman, G., 580
DeLoach, J.R., 175
de Oliveira, D., 1350
DeMark, J.J., 1633
Decker, T.N., 687
Deecher, D.C., 1395
Delaplane, K.S., 95, 1363
Dennehy, T.J., 197, 354, 692
Dimond, J.B., 665
Dix, M.E., 879
Doane, J.F., 1543
Doisy, K.E., 530
Dowd, P.F., 396
Drake, G.E., 1197
Drane, J.W., 639
Du Toit, F., 1251, 1779
Du Toit, W.J., 793
Durant, J.A., 626
Dybas, R.A., 385

East, D.A., 1367
Eckenrode, C.J., 1111, 1169
Economopoulos, A.P., 668, 1482
Edelson, J.V., 209, 561, 1367
Edwards, C.R., 1212
Edwards, D.C., 101

Elliott, N.C., 119, 1792
Elliott, R.H., 1543
Engelke, M.C., 1729
Engle, C.E., 1096
Enkerlin H., W.R., 1663
Epperly, D., 970
Esposito, R.M. II, 1825
Evanylo, G.K., 948

Fargo, W.S., 970
Farrar, C.A., 1709
Fast, P.G., 193
Federici, B.A., 1593
Felsot, A.S., 389
Ferrentino, G.W., 420
Ferro, D.N., 698, 750
Fery, R.L., 1743
Fisher, J.R., 1792
Fisher, R.M., 1061
Fisher, W.F., 175
Flexner, J.L., 996
Floate, K.D., 1543
Fortin, C., 1323
Foster, R.E., 507
Frampton, E.R., 1085
Funderburk, J.E., 270, 1224

Gallian, J.J., 608
Garcia, F., 519
Garcia, M., 519
Garris, G.I., 1650
Gary, N.E., 734, 1067
Gaston, L.K., 1317
Gaudichon, V., 1311
Gelernter, W.D., 750, 756
George, J.E., 539, 850, 1650
Georghiou, G.P., 347
Ghidiu, G.M., 891, 1197
Giblin-Davis, R.M., 1185
Gibson, R.L., 1121
Gillott, C., 1543
Gilreath, M.E., 270
Gingras, J., 1350
Godfrey, L.D., 1749
Goh, K.S., 621
Gold, R.E., 687
Goldson, S.L., 1085
Goodenough, J.L., 1460
Goonewardene, H.F., 1426
Gordon, F.C., 551
Gordon, R., 1040
Gould, W., 186
Grafton-Cardwell, E.E., 705
Granett, J., 706
Graves, J.B., 574
Gray, D.R., 1399
Green, A. St.J., 385
Greene, G.L., 412
Grigarick, A.A., 645, 745
Grissom, R.E. Jr., 41
Gross, H.R., 1354
Grout, T.G., 793
Groves, L.J., 1046
Guillebeau, L.P., 291, 1106
Gunn, S.J., 23
Guthrie, W.D., 239, 1207, 1245, 1804

Hagenbuch, B.E., 90
Hagstrum, D.W., 655
Hajek, A.E., 83
Hall, D.G., 740
Hall, F.R., 477, 1180
Hall, J.W., 251
Hall, R.D., 530
Hallauer, A.R., 1207, 1245
Halliday, W.R., 1508
Hallman, G., 186
Hamed, M.S., 1328
Hamm, W.J., 519
Hammond, R.B., 259
Hanafi, A., 1201
Hansen, J.D., 1667
Harding, J.A., 52
Hardman, J.M., 1411
Hare, J.D., 204
Harein, P.K., 989, 1817
Harris, M.K., 906
Hart, W., 186
Hart, W.G., 1657, 1663
Harte, E.M., 860
Hausmann, S.M., 426
Haverty, M.I., 1370
Hawk, J.A., 1804
Hayes, C.F., 1157
Haynes, J.W., 64
Heath, M.A., 404
Heath, R.R., 307, 454
Heinlein, M.A., 1604
Heinz, K.M., 420
Hendrichs, J., 860
Hendricks, D.E., 675
Henneberry, T.J., 782, 932
Herbert, D.A., 639
Herman, R.A., 1836
Herzog, G.A., 52
Hibbard, B.E., 773
Hilburn, L.R., 23
Hill, B.D., 974
Hinks, C.F., 721
Hofmeyr, J.H., 793
Hogsette, J.A., 412
Hong, C.S., 1207, 1245
Hong, D.K., 1040
Hopkins, D.L., 1733
Houpert, G., 1572
Howard, F.W., 1185
Howard, P.H., 1426
Hoy, M.A., 11, 35, 331, 1585
Hsu, C.-L., 1046
Hu, B.K.S., 1667
Huddleston, E.W., 1289
Hughes, P.B., 45
Hull, L.A., 1019, 1027, 1174
Hung, C.-F., 1299
Hungate, F.P., 1386

Immaraju, J.A., 374
Inaba, D.J., 974
Ingle, S., 186
Ingle, S.J., 1657, 1663
Isabelle, P., 1455

Jackman, J.A., 1230
Jackson, D.M., 913
Jackson, J.J., 1073, 1792
Jarosz, J., 1478
Jarvis, J.L., 1804
Javid, A.M., 291
Jenkins, J.N., 589, 1490
Jensen, M.P., 551
Johnson, J.A., 1391
Johnson, M.P., 1101
Johnson, M.W., 369, 935
Jones, D.B., 507
Jones, J.E., 298
Jones, R.W., 1626
Jones, T.A., 687
Jones, V.P., 788
Joos, J., 1191
Judd, G.J.R., 251
Judt, S., 668
Jurd, L., 1046

Kalaris, T.M., 1270
Kao, C.-H., 1299
Kapusta, G., 923
Karban, R., 462
Kareem, A.A., 1219
Karel, A.K., 1799
Kaster, L.V., 1773
Keil, C.B., 17
Kemp, W.P., 1270
Kennedy, G.G., 1743
Kersten, D.J., 374
Khoo, J., 1003
Kieckhefer, R.W., 119
Kim, S.-K., 1207, 1245
Kindler, S.D., 1358
King, J.E., 833
Klein, M.G., 101
Klocke, J.A., 58
Knapp, F.W., 171
Knight, A.L., 1019, 1027, 1174
Knowles, C.O., 1328
Knutson, A.E., 1230, 1460
Koehler, P.G., 90, 143, 163, 516, 839, 842, 1130
Koerber, T.W., 1691
Kok, L.T., 811, 1437
Kolodny-Hirsch, D.M., 1695
Kondratieff, B.C., 886
Konno, T., 41
Kornegay, J., 310
Kornegay, J.L., 649
Kovach, J., 482
Krainacker, D.A., 104
Kramer, R.D., 163, 842
Krishnasamy, V., 1219
Kroening, M.K., 886
Kubica-Breier, J.S., 1729

La Fage, J.P., 95, 1363
Ladd, T.L. Jr., 1616
Lam, J.J. Jr., 913
Lambert, J.D.H., 1455
Lamkey, K.R., 1207
Lamp, W.O., 923
Lampert, E.P., 114
Lampman, R.L., 123, 1620
Landolt, P.J., 307, 454
Lange, W.H., 621
Lanier, G.N., 873
Lapointe, S.L., 1764
Larew, H.G., 1444
Lasota, J.A., 811
Layton, M.B., 275, 1078
Lazarus, W.F., 1145
Lee, S.S.T., 1559
Lee, Y.H., 316
Legg, D.E., 825, 1466
Leigh, T.F., 706
Lemke, L.A., 839
Lentner, M., 1437
Leonard, B.R., 574
Leonhardt, B.A., 860
Leppla, N.C., 516
Levine, E., 433
Lew, A., 389
Linduska, J.J., 891
Lingren, P.D., 782
Liquido, N.J., 213
Liu, Y.-B., 1687
Lorenzen, K., 1067
Los, L.M., 285, 1448
Loschiavo, S.R., 960
Lum, P.T.M., 1548
Luttrell, R.G., 1305
Lynch, R.E., 1224
Lysyk, T.J., 1161

MacKenzie, K.E., 75
Mack, T.P., 152, 270, 633, 639, 1224
Mahr, D.L., 319
Marcillaud, C., 1311
Martin, R.C., 1455
Martinson, T.E., 1111
Mason, G.A., 369
Mason, L.J., 139
Mau, R.F.L., 556
Mauldin, J.K., 1638
Mayo, Z B, 1830
McCabe, G.P., 1426
McCarty, J.C. Jr., 298, 589
McCutchen, B.F., 1502
McGovern, T.P., 477
McInnis, D.O., 1382
McKibben, G.H., 449
McLean, J.A., 1687
McMullen, R.D., 510
McMullin, P.F., 847
McNeal, C.D., 608
McPherson, R.M., 1767
Meehan, M., 616
Meinke, L.J., 1830
Metcalf, R.L., 123, 1620
Michaud, O.D., 1722
Michels, G.J. Jr., 439
Mikolajczak, K.L., 1054
Miller, G.T., 1152, 1675
Miller, J.A., 1375, 1650
Miller, J.R., 426
Miller, K.K., 1682
Miller, R.W., 1134, 1145
Moar, W.J., 1593
Moffitt, H.R., 1379, 1679
Mohammad, A.B., 1716
Moore, A., 381, 1295
Moorthy, P.N.K., 246
Morales, F., 580
Morgan, D.R., 1757
Morrison, R.K., 29
Morrison, W.P., 1230
Morrow, B.J., 404
Morse, J.G., 342, 374
Moss, T.P., 1767
Motoyama, N., 41, 45
Mower, H.F., 1046
Muehleisen, D.P., 1554
Mueller, A.J., 1101
Muller, R., 1134
Mulrooney, J.E., 589, 1490
Murphy, R., 454
Murray, K.D., 285

Nelson, E.E., 886
Nemec, S.J., 1502
Ng, S.-S., 919, 1230
Nishida, T., 1609
Nolting, S.P., 1212
Normington, S.M., 706
Noyes, R., 970
Nyhus, K.A., 239
Nyrop, J.P., 482, 1111
Nystrom, C., 868

O'Doherty, G.O.P., 1843
O'Keeffe, L.E., 491, 1277
O'Neil, R.J., 134
Oehler, D.D., 1650
Oi, D.H., 556
Oliver, P.J., 1426
Oloumi-Sadeghi, H., 923
Olson, W.H., 1191
Oraze, M.J., 745
Orr, D.B., 1078
Osbrink, W.L.A., 156
Oseto, C.Y., 910
Ouyang, Y.-L., 35
Ouye, M.T., 186, 1657, 1663

Page, R.E. Jr., 734
Pair, S.D., 109
Pajares, J.A., 873
Parker, F.D., 401
Parrella, M.P., 365, 420, 1011
Parrott, W.L., 449, 589, 1490
Pasek, J.E., 879
Pasteur, N., 347
Patterson, R.S., 90, 143, 159, 163, 412, 516, 839, 842, 1130, 1512
Pavloff, A.M., 574
Pavuk, D.M., 1604
Payne, J.A., 906
Payne, T.L., 1702
Pedersen, J.R., 1254
Pebrson, J.E., 204
Peng, Y.-S., 69
Perring, T.M., 935, 1709
Pfeiffer, D.G., 220, 565
Phillips, S.A. Jr., 799, 1646
Picard, L., 416
Pickens, L.G., 149, 535
Plapp, F.W. Jr., 22, 1495, 1502, 1527, 1554
Pliego, G., 1426
Podgwaite, J.D., 1695
Pomeroy, N., 1061
Poneleit, C.G., 1466
Popham, T.W., 782
Posso, C.E., 310
Potter, D.A., 551
Powell, J.E., 408
Prabhaker, N., 983
Pree, D.J., 29
Preisler, H.K., 83, 1534
Price, J.R., 599
Pruett, J.H., 175
Puterka, G.J., 599

Quimby, W.F., 1270
Quintero, E., 1663
Quisenberry, S.S., 232, 236

Radcliffe, E.B., 1201
Ragsdale, D.W., 1201
Raney, H.G., 180
Raymer, P.L., 301
Reardon, R.C., 1695
Reed, C., 1254
Reichard, D.L., 1180
Reid, J.L., 264
Reissig, W.H., 197, 354, 482, 692, 895
Reyes, F., J., 1663
Rice, M.E., 570
Rice, R.E., 860
Richards, G.I., 793
Ridgway, N.M., 319
Riedl, H., 1191
Ring, D.R., 906
Robbins, J.T., 449
Roberson, J.L., 472
Roberts, D.W., 83, 416
Roberts, R.B., 1576
Robertson, J.L., 83, 1534
Robson, D.S., 895
Rodriguez, J.G., 1466
Rodriguez, P.H., 519
Rogers, D.J., 1003
Rombach, M.C., 416
Rosenheim, J.A., 331
Ross, D.W., 543
Rough, D., 1738
Roush, R.T., 1305
Royalty, R.N., 1709
Royer, T.A., 209, 561
Russell, W.A., 239, 1245
Russo, L.W., 1733
Rutz, D.A., 1145

Sanderson, J.P., 716, 1011, 1096
Saxena, R.C., 1219
Scheffrahn, R.H., 156, 1125, 1643
Schiavon, M., 1572
Schirf, V., 519
Schmidtmann, E.T., 1134
Schotzko, D.J., 491, 1277
Schultz, P.B., 1423
Schwarz, A., 1663
Scott, J.G., 1121, 1559
Sears, M.K., 803, 829
Sedlacek, J.D., 445
Serrano, M., 310
Seshu, D.V., 1219
Seward, R.W., 472
Shapiro, M., 548, 1695
Sharma, S., 727
Sharp, J.L., 186, 189, 1657, 1663
Shepherd, R.L., 589
Sherman, M., 1564
Shields, E.J., 1091
Shoemaker, C.A., 895
Showers, W.B., 1773
Shufran, K.A., 180
Sibley, P.K., 1323
Siddiqui, M.S., 727
Singh, D., 727
Sites, R.W., 1237
Slansky, F., 842
Slansky, F. Jr., 819
Slosser, J.E., 466, 599
Smith, D.L., 1455
Smith, J.W., 64
Smith, K.A., 645
Smith, S.L., 788
Snow, J.W., 1604
Sobrado, C.E., 134
Sorenson, C.E., 1743
Sosa, O. Jr., 740
Sotelo, G., 1764
Sparks, A.N., 109
Specker, D.R., 1091
Spike, B.P., 226, 1760
Springer, T.L., 1358
Spurr, D.T., 721
Srinivasan, K., 246
Stanley, B.H., 895
Stark, J.D., 1295, 1564, 1609
Sterling, W.L., 593, 954
Stevens, L., 1663
Stewart, J.G., 829
Stewart, R.K., 1722
Stewart, S.D., 593, 954
Straub, R.W., 1406
Stuart, L.C., 458
Su, N.-Y., 156, 1125, 1370, 1643
Subramanyam, Bh., 989, 1817
Suckling, D.M., 1003, 1311
Summers, C.G., 1782
Sun, C.-N., 1299
Sutter, G.R., 1792

Tabashnik, B.E., 5, 369, 381, 1263, 1295
Talekar, N.S., 316, 584
Tamashiro, M., 1370
Tanenbaum, S.W., 1395
Tanigoshi, L.L.K., 281
Tatman, K.M., 1695
Theiling, K.M., 996

Thistlewood, H.M.A., 510
Thomas, D.B., 1140
Thompson, D.C., 1289
Thornhill, R.A., 1033
Thorvilson, H.G., 1646
Tipping, P.W., 1466
Todd, P.L., 1033
Toledo A., J., 1663
Toler, R.W., 1729
Tollefson, J.J., 226, 1760
Torell, L.A., 1289
Toscano, N.C., 935, 983, 1317
Townsend, L.H., 445
Trichilo, P.J., 633
Trumble, J.T., 365, 1011, 1520, 1593
Tugwell, N.P., 1757

Uribe, L.F., 847

Vail, K.M., 1437
Vail, P.V., 1391
Valor, J., 310
Van Den Berg, M.A., 322
Van Esch, J., 649
van Frankenhuyzen, K., 193, 868
Van Steenwyk, R.A., 1738
Varela, L., 935
Vargas, R.I., 104, 1609
Varn, M., 565
Venables, L., 1695
Vernon, R.S., 251
Vetter, R.S., 1825
Villavaso, E.J., 449, 472
Voldeng, H.D., 1455

Wadleigh, R.W., 1130, 1512
Wagner, M.R., 1682, 1691
Wayadande, A.C., 766
Webb, D.R., 1169
Webb, J.D., 171
Webb, R.E., 1695
Webster, T.C., 69
Weires, R.W., 197, 354, 692
Weissling, T.J., 1830
Welch, J.B., 1580
Welter, S.C., 935
Welty, C., 197, 354, 692
Westigard, P.H., 996
White, N.D.G., 960
Whitford, F., 1773
Wilde, G., 616
Wilde, G.E., 570
Williams, R.N., 477, 1180, 1604
Williams, W.P., 919
Winston, M.L., 75
Wolfenbarger, D.A., 52
Woodson, W.D., 209
Worner, S.P., 1065
Worrall, W.D., 466
Wright, D.J., 385
Wright, F.C., 524
Wright, V.F., 1254

Yamamoto, R., 1370
Yamasaki, R.B., 58
Yeargan, K.V., 1749
Yokoyama, V.Y., 1152, 1675
Yost, J.T., 420
Young, H., 1157
Young, T.-L., 1040
Youngman, R.R., 204, 1096, 1317, 1339
Youssef, N.N., 1335

Zareh, N., 342
Zavaleta, L.R., 923
Zehnder, G.W., 756, 948
Zettler, J.L., 1508
Zimet, D.J., 270

CUMULATIVE KEY WORD INDEX

Journal of Economic Entomology

Volume 82, 1989

abamectin
  Arachnida, 35
  genetic improvement, 35
  gypsy moths, 1395
  integrated pest management, 35
  milbemycin D, 1395
Abbott's formula
  bioassays, 331
  control responses, 331
aboveground colonies
  Coptotermes formosanus, 1643
  copulatorium, 1643
abscission
  cotton, 954
  fruit, 954
Acanthoscelides obtectus
  resistance, 310
  Zabrotes subfasciatus, 310
Acarapis woodi
  Apis mellifera, 734
  Arachnida, 734
  tracheal mite infestation, 734
acaricides
  Arachnida, 11
  integrated pest management, 11
  Tetranychus pacificus, 11
acephate
  metabolism, 1564
  Tephritidae, 1564
acetylcholinesterase
  Arachnida, 524
  Boophilus, 524
  coroxon, 524
Acrididae
  economic injury levels, 1289
  economic thresholds, 1289
action thresholds
  economic injury levels, 608
  Tetanops myopaeformis, 608
actographs
  Ctenocephalides felis, 516
  photoperiods, 516
Aedes aegypti
  lasers, 519
  productivity, 519
aerial deposition
  insecticides, 974
  water-sensitive paper, 974
aerial spray simulations
  pesticide applications, 665
age grading
  pteridines, 1140
  screwworms, 1140
aggregation
  Myzus nicotianae, 114
  sampling, 114
Agrotis ipsilon
  corn recovery and yield, 1773
aldicarb
  hops, 1237
  uptake, 1237
alfalfa
  Empoasca fabae, 923
  Hypera postica, 1749
  pest interactions, 1782
  potato leafhoppers, 1091
  sequential sampling, 1091
  Sitona hispidulus, 1749
  weed control, 923
  yield, 1782
allelochemicals
  Heliothis zea, 1554
  insecticide toxicity, 1554
Allium cepa
  Thrips tabaci, 561
almonds
  Amyelois transitella, 1339
  biology, 1738
  female attraction, 1339
  Polyphylla decemlineata, 1738
Amblyomma americanum
  Arachnida, 854, 1650
  cattle, 854
  distribution, 854
  ivermectin, 1650
  systemic control, 1650
amitraz
  Arachnida, 850
  bollworms, 1328
  Boophilus, 850
  cattle ticks, 850
  tobacco budworms, 1328
Amyelois transitella
  almonds, 1339
  developmental rate, 1096
  female attraction, 1339
  gamma radiation, 1391
  head capsule width, 716
  navel orangeworms, 1096
  Plodia interpunctella, 1391
  statistics, 716
amylase inhibitors
  rice weevils, 1548
  wheat, 1548
Anastrepha
  Ceratitis, 1663
  Chiapas, 1663
  hot water, 1657, 1663
  mangoes, 1657, 1663
Anastrepha suspensa
  Mangifera indica, 186
  plant quarantine, 186
  quarantine security, 186
  Tephritidae, 139
  trapping, 139
Anthonomus grandis
  ecology, 1626
  water management, 599
  wild cotton, 1626
Anthonomus grandis grandis
  Gossypium hirsutum, 52, 64, 298
  host plant resistance, 298
  population suppression, 472
  pyrethroids, 52
  wild host plants, 449
antibiosis
  Diuraphis noxia, 1779
  tolerance, 1779
Anticarsia gemmatalis
  food utilization, 819
  legumes, 819
ants
  control, 1646
  Solenopsis invicta, 1646
Aonidiella aurantii
  phenology, 793
  South Africa, 793
aphids
  insect control, 1201
  potato leafroll virus, 1201
Aphis pomi
  Aphis spiraecola, 565
  Dysaphis plantaginea, 565
Aphis spiraecola
  Aphis pomi, 565
  Dysaphis plantaginea, 565
Apis mellifera
  Acarapis woodi, 734
  Arachnida, 734
  broods, 69
  foraging, 75, 480
  honey bees, 1351
  insecticides, 1576
  Medicago sativa, 1067
  methamidophos, 69, 1067
  palatability, 1576
  pesticides, 75
  tracheal mite infestation, 734
apple maggots
  malathion bait sprays, 1716
  Rhagoletis pomonella, 1716
apples
  Arachnida, 197, 354
  clofentezine, 197
  cyhexatin, 354, 692
  economic threshold, 1722
  Lygus lineolaris, 1722
  Panonychus ulmi, 197, 354, 692
  resistance, 354
Arachnida
  abamectin, 35
  Acarapis woodi, 734
  acaricides, 11
  acetylcholinesterase, 524
  Amblyomma americanum, 854, 1650
  amitraz, 850
  Apis mellifera, 734
  apples, 197, 354, 692
  biological control, 745
  Boophilus, 524, 850
  Boophilus microplus, 539
  calves, 175
  cattle, 854
  cattle ticks, 850
  coroxon, 524
  cyhexatin, 354, 692
  distribution, 854
  European red mites, 482
  fitness, 996
  gas exchange, 204
  genetic improvement, 35
  Gossypium hirsutum, 462
  host plant resistance, 462
  immigration, 996
  immunosuppression, 175
  insecticide effects, 621

insecticides, 1174
integrated pest management, 11, 35
irrigation, 204
ivermectin, 1650
miticides, 1411
modeling, 1411
ovicides, 539
Panonychus citri, 204
Panonychus ulmi, 354, 482, 692, 1174
Pardosa ramulosa, 745
pesticide resistance, 706
Platynota idaeusalis, 1174
population dynamics, 1411
predators, 621
propargite, 706
resistance, 354, 996
rice, 745
sampling, 482
sheep scab mites, 175
systemic control, 1650
Tetranychus, 706
Tetranychus pacificus, 11
Tetranychus urticae, 462
ticks, 539
tracheal mite infestation, 734
artificial rearing
Mediterranean fruit fly, 668
oviposition hole size, 668
Ascosphaera
fungicides, 1335
Megachile rotundata, 1335
attractants
cinnamyl alcohol, 1620
Diabrotica, 123, 1620
grass loopers, 307
Japanese beetle lures, 101
monitoring, 307
nontarget insects, 285
phenylpropanoids, 123
Popillia lewisi, 101
Spodoptera frugiperda, 285
attraction
fruit volatiles, 477
Glischrochilus quadrisignatus, 477
insect traps, 477
lights, 535
traps, 535
avermectin
Plutella, 385
translaminar activity, 385
Aves
Ostrinia nubilalis, 1406
sweet corn, 1406
Azadirachtia indica
Ootheca bennigseni, 1799
Phaseolus vulgaris, 1799
azinphosmethyl
refuge adjustment, 895
resistance, 1003
Rhagoletis pomonella, 895
Tortricidae, 1003
azinphosmethyl resistance
cross-resistance, 1585
genetic improvement, 1585
Leptinotarsa decemlineata, 698
permethrin resistance, 698

Bacillus thuringiensis
beet armyworms, 1593
Colorado potato beetles, 750
Chilo suppressalis, 416
control, 750
diflubenzuron, 1695
gypsy moth NPV, 1695
Leptinotarsa decemlineata, 756
microbial control, 416
mortality, 756
Spodoptera exigua, 1593
bait toxicants
growth regulators, 1125
termites, 1125
bait-block technique
caste differentiation, 1370
termite control, 1370
banded sunflower moths
planting date, 910
sunflowers, 910
bark beetles
direct control, 1702
pheromones, 1702
barrenness
Diabrotica virgifera virgifera, 226
silking intervals, 226
bean flies
Ophiomyia phaseoli, 246
potassium chloride, 246
bean resistance
Ostrinia nubilalis, 1169
racial variation, 1169
beans
Empoasca kraemeri, 649
leafhoppers, 649
Beauveria bassiana
Colorado potato beetles, 83
insecticides, 83
beet armyworms
Bacillus thuringiensis, 1593
Spodoptera exigua, 1593
beetles
organophosphates, 989
stored barley, 989
behavior
bollworms, 109
corn earworms, 109, 1344
sugar feeding, 1344
Bembidion
contact toxicity, 1543
field bioassay, 1543
residual toxicity, 1543
Bemisia tabaci
immatures, 983
insecticide resistance, 983
benzodioxole
fruit flies, 1046
reproduction, 1046
benzoylphenyl ureas
Blattella germanica, 143, 1633
chitin synthesis inhibitors, 1633
diflubenzuron, 143
bioassays
Abbott's formula, 331
control responses, 331
insecticidal activity, 1843
Phormia regina, 1843
Platynota idaeusalis, 1027
resistance, 1027
resistance management, 1011
serpentine leafminers, 1011
biological control
Arachnida, 745
carrot weevils, 762
CLIMEX, 1085
Cylindrocopturus adspersus, 130
Diabrotica, 1073
Diglyphus, 420
ecoclimatic assessment, 1085
insect immunity, 1073
insecticides, 1078
Liriomyza, 420
Nealiolus curculionis, 130
nematodes, 762
Pardosa ramulosa, 745
rice, 745
Saccharum, 740
Scelionidae, 1078
white grubs, 740
biology
almonds, 1738
Polyphylla decemlineata, 1738
Blattella asahinai
Blattella germanica, 1130
Blattella vaga, 1130
Blattella germanica
benzoylphenyl ureas, 143, 1633
Blattella asahinai, 1130
Blattella vaga, 1130
carbamate, 842
cedar vapors, 152
chitin synthesis inhibitors, 1633
choice boxes, 152
diflubenzuron, 143
hydroprene, 163
insect growth regulators, 163
insecticide resistance, 336, 1512
juvenoids, 833
reproductive effects, 833
resistance mechanisms, 1512
water loss, 842
Blattella vaga
Blattella asahinai, 1130
Blattella germanica, 1130
Blissus insularis
grass, 1729
host plant resistance, 1729
turf, 1729
Blissus leucopterus leucopterus
resistance, 616
sorghum, 616
boll weevils
Eragrostis curvula, 799
weeping lovegrass, 799
bollworms
amitraz, 1328
behavior, 109
corn earworms, 109
tobacco budworms, 1328
Bombus terrestris
pollination, 1061
Boophilus
acetylcholinesterase, 524
amitraz, 850
Arachnida, 524, 850
cattle ticks, 850
coroxon, 524
Boophilus microplus
Arachnida, 539
ovicides, 539
ticks, 539
broccoli yield response
cabbage loopers, 1437
Trichoplusia ni, 1437
broods
Apis mellifera, 69
methamidophos, 69
bumble bees
pollination, 1061

cabbage
consumption, 1367
lepidopteran larvae, 1367
cabbage loopers
broccoli yield response, 1437
Trichoplusia ni, 1437
cabbage maggots
Delia radicum, 1040
insect growth regulators, 1040
cabbage pests
seasonal abundance, 811
within-plant distribution, 811

Cacopsylla pyricola
insect resistance, 458
pears, 458
Cadra cautella
parasites, 430
Plodia interpunctella, 1508
stored-product insects, 430
Tribolium castaneum, 1508
calves
Arachnida, 175
immunosuppression, 175
sheep scab mites, 175
Camponotus spp.
organophosphates, 1121
pyrethroids, 1121
Campylomma verbasci
distribution, 510
sampling, 510
carbamate
Blattella germanica, 842
organophosphates, 1121
pyrethroids, 1121
water loss, 842
carbofuran
cultural control, 1757
rice water weevils, 1757
carrot weevils
biological control, 762
nematodes, 762
caste differentiation
bait-block technique, 1370
termite control, 1370
cattle
Amblyomma americanum, 854
Arachnida, 854
distribution, 854
Haematobia irritans, 530
trapping, 530
cattle ticks
amitraz, 850
Arachnida, 850
Boophilus, 850
cauliflower
Lepidoptera, 829
sampling, 829
cedar vapors
Blattella germanica, 152
choice boxes, 152
celery
chrysanthemums, 365
leafminer, 365
Ceratitis
Anastrepha, 1663
Chiapas, 1663
Ceratitis capitata
artificial rearing, 668
controlled release, 860
Dacus dorsalis, 104
demography, 104
mass rearing, 1482
oviposition spheres, 1382
photoperiods, 1482
reproduction, 1046
trimedlure, 860
Cercopidae
rearing techniques, 1764
spittlebugs, 1764
chemical control
Phoenix canariensis, 1185
Sabal palmetto, 1185
cherry
hawthorne, 788
phenology, 788
Rhagoletis pomonella, 788
Chiapas
Anastrepha, 1663
Ceratitis, 1663
Chilo suppressalis
Bacillus thuringiensis, 416
microbial control, 416
chitin synthesis inhibitors
benzoylphenyl ureas, 1633
Blatella germanica, 1633
chlorpyrifos-methyl
stored peanuts, 660
choice boxes
Blattella germanica, 152
cedar vapors, 152
Choristoneura fumiferana
foliar persistence, 868
modeling, 1161
phenology, 1161
Thuricide 48LV, 868
Choristoneura occidentalis
complementary log-log regression, 1534
median time to death, 1534
chrysanthemums
celery, 365
European corn borers, 1423
host plant resistance, 1423
leafminers, 365, 1444
Chrysoperla carnea
pyrethroids, 29
cinnamyl alcohol
attractants, 1620
Diabrotica, 1620
citrus blight
insecticides, 1733
sharpshooter leafhoppers, 1733
CLIMEX
biological control, 1085
ecoclimatic assessment, 1085
clofentezine
apples, 197
Panonychus ulmi, 197
cobalt-60
Cydia pomonella, 1386
plant quarantine, 1386
Cochliomyia hominivorax
dispersal, 1580
sowormlure-4, 1580
coffee
endosulfan resistance, 1311
Hypothenemus hampei, 1311
cold storage
Prunus spp., 1152
quarantine pests, 1152
Coloradia pandora
defoliation effects, 1682
Colorado potato beetles
Bacillus thuringiensis, 750
Beauveria bassiana, 83
control, 750
insecticides, 83
compensatory growth
defoliation effects, 1682
pandora moths, 1682
competitiveness
cotton, 64
insect growth regulators, 64
complementary log-log regression
Choristoneura occidentalis, 1534
median time to death, 1534
concentration and time products
Coptotermes formosanus, 156
toxicity indexes, 156
Congo red
Lymantria dispar, 5548
nuclear polyhedrosis virus, 548
consumption
cabbage, 1367
lepidopteran larvae, 1367
contact toxicity
Bimbidion, 1543
field bioassay, 1543
residual toxicity, 1543
control
ants, 1646
Bacillus thuringiensis, 750
Colorado potato beetles, 750
Heliothis, 1527
pyrethroids, 1527
resistance, 1527
Solenopsis invicta, 1646
control responses
Abbott's formula, 331
bioassays, 331
controlled release
Ceratitis capitata, 860
trimedlure, 860
Coptotermes formosanus
aboveground colonies, 1643
concentration and time products, 156
copulatorium, 1643
feeding preference, 95
termite control, 1370
termites, 1363
toxicity indexes, 156
wood moisture, 95
copulatorium
aboveground colonies, 1643
Coptotermes formosanus, 1643
corn
Agrotis ipsilon, 1773
Diabrotica virgifera virgifera, 1760
intercropping, 1455
Ostrinia nubilalis, 1455
root regeneration, 1760
soybeans, 1455
corn borers
maize, 919
plant resistance, 919
corn earworms
behavior, 109, 1344
bollworms, 109
sugar feeding, 1344
corn recovery and yield
Agrotis ipsilon, 1773
corn rootworms
insecticides, 389
soil, 389
cotton
abscission, 954
competitiveness, 64
fruit, 954
fruit size, 593
Heliothis, 52, 291
Heliothis virescens, 589
host plant resistance, 589
insect growth regulators, 64
methyl parathion, 1317
phytotoxicity, 1317
pyrethroids, 52
rainfall, 291
stress, 593
cotton yield response
Gossypium hirsutum, 626
yield enhancement, 626
crop rotation
Delia antiqua, 1111
host finding, 1111
cross-resistance
azinphosmethyl resistance, 1585
genetic improvement, 1585
Cryptolestes ferrugineus
stored products, 655
Ctenocephalides felis
actographs, 516

insecticide susceptibility, 839
photoperiods, 516
pyrethroids, 839
Culex quinquefasciatus
organophosphates, 347
resistance detection, 347
cultural control
carbofuran, 1757
rice water weevils, 1757
cuticles
permeability, 41
pyrethroids, 41
Cydia pomonella
cobalt-60, 1386
eggs, 1379
low temperatures, 1379, 1679
plant quarantine, 1386
postharvest, 1679
quarantine, 1679
cyhexatin
apples, 354, 692
Arachnida, 692
Panonychus ulmi, 354, 692
Cylindrocopturus adspersus
biological control, 130
Nealiolus curculionis, 130
Cynodon dactylon
somaclonal variation, 236
Spodoptera frugiperda, 232, 236
tissue culture, 232
cyromazine
dairy husbandry, 1134
growth inhibition, 45
Manduca sexta, 45
muscoid maggot suppression, 1134
cytochrome P-450
insect microsomes, 1559
xenobiotics, 1559

Dacus
host plants, 213
infestation rates, 213
Dacus cucurbitae
Dacus dorsalis, 1609
population management, 1609
Dacus dorsalis
Ceratitis capitata, 104
Dacus cucurbitae, 1609
demography, 104
infestation, 1157
papayas, 1157
population management, 1609
dairy husbandry
cyromazine, 1134
muscoid maggot suppression, 1134
damage
feeding, 1836
techniques, 1836
decision making
Spodoptera frugiperda, 134
defoliation
Leptinotarsa decemlineata, 948
Mexican bean beetles, 1212
potato yields, 948
yield, 1212
defoliation effects
compensatory growth, 1682
pandora moths, 1682
degree-days
Hypera postica, 825
pecan nut casebearers, 906
sampling, 825
sequential sampling, 906
Delia antiqua
crop rotation, 1111
host finding, 1111
onion maggots, 426
oviposition, 426
trap design, 251
trapping protocols, 251
Delia radicum
cabbage maggots, 1040
insect growth regulators, 1040
demography
Ceratitis capitata, 104
Dacus dorsalis, 104
Dendroctonus ponderosae
forestry, 1399
pheromones, 1399
Dermatobia hominis
efficacy, 847
topical ivermectin, 847
detection
Heliothis, 675
radio telemetry, 675
detoxification
Lasioderma serricorne, 396
symbiont, 396
development
development models, 1230
southwestern corn borers, 1230
development models
development, 1230
southwestern corn borers, 1230
developmental rate
Amyelois transitella, 1096
navel orangeworms, 1096
Diabrotica
attractants, 123, 1620
biological control, 1073
cinnamyl alcohol, 1620
insect immunity, 1073
insecticides, 1792
phenylpropanoids, 123
pheromones, 1830
semiochemicals, 1830
western corn rootworms, 1792
Diabrotica virgifera virgifera
barrenness, 226
corn, 1760
repellency, 773
root regeneration, 1760
semiochemicals, 773
silking intervals, 226
diallel cross
Ostrinia nubilalis, 1207
Zea mays, 1207
diapause
Heliothis zea, 1354
irradiation, 1354
storage, 1490
tobacco budworms, 1490
Diatraea grandiosella
development models, 1230
pheromone traps, 1460
diflubenzuron
Bacillus thuringiensis, 1695
benzoylphenyl ureas, 143
Blattella germanica, 143
gypsy moth NPV, 1695
irradiation, 472
population suppression, 472
Diglyphus
biological control, 420
Liriomyza, 420
Dioryctria
Pinus ponderosa, 1691
seed and cone insects, 1691
Dioryctria auranticella
life history, 879
pines, 879
Diplodia maydis
host plant resistance, 239
Ostrinia nubilalis, 239
direct control
bark beetles, 1702
pheromones, 1702
discount
farm-stored, 1254
infestation, 1254
disease prevention
floating row covers, 1709
viruses, 1709
dispersal
Cochliomyia hominivorax, 1580
rusty grain beetles, 655
stored products, 655
swormlure-4, 1580
distiller's grain
uric acid, 159
video, 159
distribution
Amblyomma americanum, 854
Arachnida, 854
Campylomma verbasci, 510
cattle, 854
Homoptera, 1358
plant interaction, 1358
sampling, 510
Diuraphis noxia
antibiosis, 1779
fecundity, 119
host plant resistance, 466
plant interaction, 1358
resistance, 1251
Rhopalosiphum padi, 439
Schizaphis graminum, 439
survival, 119
tolerance, 1779
Triticum aestivum, 466
wheat, 1251
domiciles
nesting, 401
Osmia sanrafaelae, 401
Drosophila robusta
erythrosin B, 171
house flies, 171
dryland
production systems, 599
water management, 599
Dysaphis plantaginea
Aphis pomi, 565
Aphis spiraecola, 565

ecoclimatic assessment
biological control, 1085
CLIMEX, 1085
ecology
Anthonomus grandis, 1626
wild cotton, 1626
economic injury levels
Acrididae, 1289
action thresholds, 608
economic thresholds, 1289
Tetanops myopaeformis, 608
economic thresholds
Acrididae, 1289
apples, 1722
economic injury levels, 1289
Lygus lineolaris, 1722
Edovum puttleri
Leptinotarsa decemlineata, 803
potatoes, 803
efficacy
Dermatobia hominis, 847
Elasmopalpus lignosellus, 1224
topical ivermectin, 847
eggs
Cydia pomonella, 1379
low temperatures, 1379

Elasmopalpus lignosellus
efficacy, 1224
Sorghum bicolor, 270
electrophoresis
enzymes, 23
systematics, 23
Empoasca fabae
alfalfa, 923
pesticides, 766
potato leafhoppers, 1091
probing, 766
sequential sampling, 1091
weed control, 923
Empoasca kraemeri
beans, 649
leafhoppers, 649
Endopiza viteana
fenpropathrin, 1180
uniform spray drops, 1180
endosulfan resistance
coffee, 1311
Hypothenemus hampei, 1311
entomogenous nematodes
Reticulitermes, 1638
termite control, 1638
entomopathogenic fungi
Nomuraea rileyi, 404
pathogenic fungi, 404
environmental influences
Pectinophora gossypiella, 782
pheromone trap capture, 782
enzymes
electrophoresis, 23
systematics, 23
eradication
wild host plants, 449
Eragrostis curvula
boll weevils, 799
weeping lovegrass, 799
erythrosin B
Drosophila robusta, 171
house flies, 171
ethanol
Gnathotrichus, 1687
sulcatol, 1687
Eucosma sonomana
ponderosa pine, 543
European corn borers
chrysanthemums, 1423
host plant resistance, 1423
European red mites
Arachnida, 482
Panonychus ulmi, 482
sampling, 482
Euschistus servus
Stink bugs, 445
Zea mays, 445

fall armyworms
insect–plant relationships, 1197
sweet corn, 1197
farm-stored
discount, 1254
infestation, 1254
fecundity
Diuraphis noxia, 119
survival, 119
feeding
damage, 1836
techniques, 1836
termites, 1363
thigmotaxis, 1363
feeding preference
Coptotermes formosanus, 95
wood moisture, 95
feeding rates
Glycine max, 633
Pseudoplusia includens, 633
feeding response
host plants, 1616
Popillia japonica, 1616
female attraction
almonds, 1339
Amyelois transitella, 1339
fenpropathrin
Endopiza viteana, 1180
uniform spray drops, 1180
fenvalerate
insecticide resistance, 381
leg autotomy, 1295
Plutella xylostella, 381, 1295
field bioassay
Bimbidion, 1543
contact toxicity, 1543
residual toxicity, 1543
field trials
Lygus, 281
Washington, 281
yield, 281
filth flies
parasites, 412
Pteromalidae, 412
fitness
Arachnida, 996
immigration, 996
resistance, 996
flight
Glycine max, 1101
Spissistilus festinus, 1101
floating row covers
disease prevention, 1709
viruses, 1709
foliar feeding
fruit quality, 220
Popillia japonica, 220
foliar persistence
Choristoneura fumiferana, 868
Thuricide 48LV, 868
Folsomia candida
insecticides, 1572
persistence, 1572
food consumption
Heliothis, 408
Microplitis, 408
food plants
insecticides, 721
Melanoplus sanguinipes, 721
food utilization
Anticarsia gemmatalis, 819
legumes, 819
foraging
Apis mellifera, 75
pesticides, 75
foraging activity
pistils, 580
pollination, 580
forecasting
heat units, 551
Melanaspis obscura, 551
forestry
Dendroctonus ponderosae, 1399
pheromones, 1399
formulated diet
Grapholitha molesta, 1825
legume diet, 1825
fruit
abscission, 954
cotton, 954
fruit flies
benzodioxole, 1046
mangoes, 189
maturity, 556
papayas, 1667
Persea americana, 556
quarantine treatment, 1667
reproduction, 1046
security risks, 189
fruit quality
foliar feeding, 220
Popillia japonica, 220
fruit size
cotton, 593
stress, 593
fruit volatiles
attraction, 477
insect traps, 477
fungicides
Ascosphaera, 1335
Megachile rotundata, 1335

Galleria mellonella
germ-free larvae, 1478
Lepidoptera, 1478
gamma radiation
Amyelois transitella, 1391
Plodia interpunctella, 1391
gas exchange
Arachnida, 204
irrigation, 204
Panonychus citri, 204
gene frequency
Heliothis virescens, 22
resistance monitoring, 22
general combining ability
maternal effects, 1466
Sitophilus zeamais, 1466
genetic improvement
abamectin, 35
azinphosmethyl resistance, 1585
cross-resistance, 1585
integrated pest management, 35
genotype
Ostrinia nubilalis, 1804
Zea mays, 1804
Geocoris spp.
Oxyopes salticus, 1106
predation, 1106
geostatistics
hazard prediction, 1270
lentils, 1277
Lygus hesperus, 1277
spatial variability, 1270
germ-free larvae
Galleria mellonella, 1478
Lepidoptera, 1478
germplasm
Japanese beetles, 259
soybeans, 259
Glischrochilus quadrisignatus
attraction, 477
fruit volatiles, 477
Glycine max
feeding rates, 633
flight, 1101
nitrogen fixation, 275
Pseudoplusia includens, 275, 633
Spissistilus festinus, 1101
Gnathotrichus
ethanol, 1687
sulcatol, 1687
Gossypium hirsutum
Anthonomus grandis, 1626
Anthonomus grandis grandis, 298
Arachnida, 462
cotton yield response, 626
host plant resistance, 298, 462
Tetranychus urticae, 462
yield enhancement, 626
grain
insectistatic activity, 727
Sitophilus oryzae, 727

Grapholitha molesta
formulated diet, 1825
legume diet, 1825
grass loopers
attractants, 307
monitoring, 307
grasses
host plant resistance, 1729
host preferences, 1807
Listronotus bonariensis, 1807
turf, 1729
greenhouse
leafminers, 1444
rearing, 1444
growth inhibition
cyromazine, 45
Manduca sexta, 45
growth regulators
bait toxicants, 1125
termites, 1125
gypsy moth NPV
Bacillus thuringiensis, 1695
diflubenzuron, 1695
Lymantria dispar, 548
gypsy moths
abamectin, 1395
milbemycin D, 1395

Haematobia irritans
cattle, 530
neem seed, 1375
Stomoxys calcitrans, 1375
trapping, 530
haemolymph
Plutella xylostella, 1033
saline, 1033
Harrisina brillians
sex pheromones, 454
hawthorn
cherry, 788
phenology, 788
Rhagoletis pomonella, 788
hazard prediction
geostatistics, 1270
spatial variability, 1270
HD-1
HD-1-S-1980, 193
NRD-12, 193
HD-1-S-1980
HD-1, 193
NRD-12, 193
head capsule width
Amyelois transitella, 716
statistics, 716
heat units
forecasting, 551
Melanaspis obscura, 551
Heliothis
bollworms, 1328
control, 1495
cotton, 51, 291
detection, 675
food consumption, 408
Microplitis, 408
pyrethroids, 1495, 1527
radio telemetry, 675
rainfall, 291
resistance, 1495, 1502, 1527
tobacco budworms, 52, 1328, 1490, 1495, 1502
Heliothis virescens
cotton, 589
gene frequency, 22
Heliothis zea, 574
host plant resistance, 589
pyrethroids, 40, 1305
resistance, 1305
resistance monitoring, 22
sampling, 574
tetranortriterpenoids, 58
Heliothis zea
allelochemicals, 1554
corn earworms, 109, 1344
diapause, 1354
Heliothis virescens, 574
insecticide toxicity, 1554
irradiation, 1354
L-azetidine-2-carboxylic acid, 942
Liriope muscari, 942
plant injury, 1767
sampling, 574
soybeans, 1767
Spodoptera exigua, 935
tomatoes, 935
Hippodamia convergens
Schizaphis graminum, 570
tri-trophic interactions, 570
Homoptera
distribution, 1358
plant interaction, 1358
Psyllidae, 322
study cages, 322
honey bees
pollination, 1350
strawberries, 1350
hops
aldicarb, 1237
uptake, 1237
host finding
crop rotation, 1111
Delia antiqua, 1111
host plant resistance
Anthonomus grandis grandis, 298
Arachnida, 462
chrysanthemums, 1423
cotton, 589
Diplodia maydis, 239
Diuraphis noxia, 466
European corn borers, 1423
Gossypium hirsutum, 298, 462
grasses, 1729
Heliothis virescens, 589
Mayetiola destructor, 301
Ostrinia nubilalis, 239
Tetranychus urticae, 462
Triticum aestivum, 301, 466
turf, 1729
host plants
Dacus, 213
feeding response, 1616
infestation rates, 213
Popillia japonica, 1616
host preferences
grasses, 1807
Listronotus bonariensis, 1807
host status
Rhagoletis pomonella, 886
trapping, 886
hot water
Anastrepha, 1657, 1663
mangoes, 1657, 1663
house flies
Drosophila robusta, 171
erythrosin B, 171
Hydraecia immanis
phenology, 433
thermal requirements, 433
hydramethylnon bait
parasites, 90
Periplaneta americana, 90
hydroprene
Blattella germanica, 163
insect growth regulators, 163
Hypera postica
alfalfa, 1749
degree-days, 825
Medicago sativa, 264
ovipositional preference, 264
sampling, 825
Sitona hispidulus, 1749
Hypothenemus hampei
coffee, 1311
endosulfan resistance, 1311

immatures
Bemisia tabaci, 983
insecticide resistance, 983
immigration
Arachnida, 996
fitness, 996
resistance, 996
immunosuppression
Arachnida, 175
calves, 175
sheep scab mites, 175
infestation
Dacus dorsalis, 1157
discount, 1254
farm-stored, 1254
papayas, 1157
probe traps, 1817
stored barley, 1817
infestation rates
Dacus, 213
host plants, 213
insect control
aphids, 1201
potato leafroll virus, 1201
insect growth regulators
Blattella germanica, 163
cabbage maggots, 1040
competitiveness, 64
cotton, 64
Delia radicum, 1040
hydroprene, 163
insect immunity
biological control, 1073
Diabrotica, 1073
insect microsomes
cytochrome P-450, 1559
Musca domestica, 1559
xenobiotics, 1559
insect resistance
Cacopsylla pyricola, 458
pears, 458
insect traps
attraction, 477
fruit volatiles, 477
insect–plant interactions
plant resistance, 1675
Prunus, 1675
insect–plant relationships
fall armyworms, 1197
sweet corn, 1197
insecticidal activity
bioassays, 1843
Phormia regina, 1843
insecticide effects
Arachnida, 621
predators, 621
insecticide mixtures
models, 1263
resistance management, 1263
insecticide resistance
Bemisia tabaci, 983
Blattella germanica, 336, 1512
fenvalerate, 381
immatures, 983
Liriomyza, 369
Platynota idaeusalis, 1019
Plutella xylostella, 381
resistance management models, 369
resistance mechanisms, 1512
resistance monitoring, 1520

Spodoptera exigua, 1520
sublethal effects, 1019
insecticide susceptibility
Ctenocephalides felis, 839
pyrethroids, 839
insecticide toxicity
allelochemicals, 1554
Heliothis zea, 1554
soil insecticides, 913
spined stilt bugs, 913
insecticides
aerial deposition, 974
Apis mellifera, 1576
Arachnida, 1174
Beauveria bassiana, 83
biological control, 1078
citrus blight, 1733
Colorado potato beetles, 83
corn rootworms, 389
Diabrotica, 1792
Folsomia candida, 1572
food plants, 721
Melanoplus sanguinipes, 721
mushroom culture, 17
palatability, 1576
Panonychus ulmi, 1174
persistence, 1572
Platynota idaeusalis, 1174
pyrethroids, 17
Scelionidae, 1078
sharpshooter leafhoppers, 1733
soil, 389
water-sensitive paper, 974
western corn rootworms, 1792
insectistatic activity
grain, 727
Sitophilus oryzae, 727
integrated pest management
abamectin, 35
acaricides, 11
Arachnida, 11, 35
genetic improvement, 35
Listronotus texanus, 209
sampling, 180
intercropping
corn, 1455
Ostrinia nubilalis, 1455
soybeans, 1455
irradiation
diapause, 1354
diflubenzuron, 472
Heliothis zea, 1354
population suppression, 472
irrigation
Arachnida, 204
gas exchange, 204
Panonychus citri, 204
isothiocyanate
Ostrinia nubilalis, 1054
Spodoptera frugiperda, 1054
ivermectin
Amblyomma americanum, 1650
Arachnida, 1650
systemic control, 1650

Japanese beetle lures
attractants, 101
Popillia lewisi, 101
Japanese beetles
germplasm, 259
soybeans, 259
juvenoids
Blattella germanica, 833
reproductive effects, 833

khapra beetles
pheromones, 1470
traps, 1470

L-azetidine-2-carboxylic acid
Heliothis zea, 942
Liriope muscari, 942
lasers
Aedes aegypti, 519
productivity, 519
Lasioderma serricorne
detoxification, 396
symbiont, 396
leafhoppers
beans, 649
Empoasca kraemeri, 649
leafminers
celery, 365
chrysanthemums, 365
greenhouse, 1444
Liriomyza trifolii, 365
rearing, 1444
leg autotomy
fenvalerate, 1295
Plutella xylostella, 1295
legume diet
formulated diet, 1825
Grapholitha molesta, 1825
legumes
Anticarsia gemmatalis, 819
food utilization, 819
lentils
geostatistics, 1277
Lygus hesperus, 1277
sampling comparison, 491
sweep nets, 491
Lepidoptera
cauliflower, 829
Galleria mellonella, 1478
germ-free larvae, 1478
sampling, 829
lepidopteran larvae
cabbage, 1367
consumption, 1367
Leptinotarsa decemlineata
azinphosmethyl resistance, 698
Bacillus thuringiensis, 756
Colorado potato beetles, 83, 750
defoliation, 948
Edovum puttleri, 803
Manduca sexta, 1743
mortality, 756
oxamyl, 891
permethrin resistance, 698
potato yields, 948
potatoes, 803
resistance, 1743
tomatoes, 891
lettuce
cotton, 1317
methyl parathion, 1317
phytotoxicity, 1317
life history
Dioryctria auranticella, 879
pines, 879
light traps
Musca domestica, 149
scatter, 149
lights
attraction, 535
traps, 535
Liriomyza
biological control, 420
Diglyphus, 420
insecticide resistance, 369
leafminers, 1011, 1444
Liriomyza trifolii, 365
resistance management models, 369
Liriope muscari
Heliothis zea, 942
L-azetidine-2-carboxylic acid, 942

Lissorhoptrus oryzophilus
carbofuran, 1757
cultural control, 1757
residual activity, 645
triflumuron, 645
Listronotus bonariensis
grasses, 1807
host preferences, 1807
Listronotus texanus
integrated pest management, 209
low temperatures
Cydia pomonella, 1379
eggs, 1379
Lycoriella mali
mushroom culture, 17
Lygus
apples, 1722
economic threshold, 1722
field trials, 281
geostatistics, 1277
lentils, 1277
yield, 281
Lygus hesperus
geostatistics, 1277
lentils, 1277
Lygus lineolaris
apples, 1722
economic threshold, 1722
Lymantria dispar
Congo red, 548
gypsy moth NPV, 1695
gypsy moths, 1395
nuclear polyhedrosis virus, 548

maize
corn borers, 919
plant resistance, 919
malathion bait sprays
apple maggots, 1716
Rhagoletis pomonella, 1716
Manduca sexta
cyromazine, 45
growth inhibition, 45
Leptinotarsa decemlineata, 1743
resistance, 1743
Mangifera indica
Anastrepha suspensa, 186
plant quarantine, 186
quarantine security, 186
mangoes
Anastrepha, 1657, 1663
fruit flies, 189
hot water, 1657, 1663
security risks, 189
manure management
Musca domestica, 1145
Stomoxys calcitrans, 1145
mass rearing
Ceratitis capitata, 1482
Ophiomyia phaseoli, 316
photoperiod, 1482
soybeans, 316
maternal effects
general combining ability, 1466
Sitophilus zeamais, 1466
maturity
fruit flies, 556
Persea americana, 556
Mayetiola destructor
host plant resistance, 301
Triticum aestivum, 301
median time to death
Choristoneura occidentalis, 1534
complementary log-log regression, 1534
Medicago sativa
Apis mellifera, 1067
Hypera postica, 264

methamidophos, 1067
ovipositional preference, 264
Mediterranean fruit fly
artificial rearing, 668
oviposition hole size, 668
Megachile rotundata
Ascosphaera, 1335
fungicides, 1335
Melanagromyza sojae
photoperiods, 584
yield response, 584
Melanaspis obscura
forecasting, 551
heat units, 551
Melanoplus sanguinipes
food plants, 721
insecticides, 721
metabolism
acephate, 1564
Tephritidae, 1564
Metaseiulus occidentalis
abamectin, 35
genetic improvement, 35
methamidophos
Apis mellifera, 69, 1067
broods, 69
Medicago sativa, 1067
methomyl
permethrin, 639
Pseudoplusia includens, 639
methoxychlor
pyrethroids, 873
Scolytus multistriatus, 873
methyl parathion
cotton, 1317
lettuce, 1317
parathion, 1299
phytotoxicity, 1317
Plutella, 1299
Mexican bean beetles
defoliation, 1212
yield, 1212
microbial control
Bacillus thuringiensis, 416
Chilo suppressalis, 416
microencapsulated insecticides
microscopy, 1323
Microplitis
food consumption, 408
Heliothis, 408
microscopy
microencapsulated insecticides, 1323
milbemycin D
abamectin, 1395
gypsy moths, 1395
miticides
Arachnida, 1411
modeling, 1411
population dynamics, 1411
Mocis spp.
grass loopers, 307
monitoring, 307
modeling
Arachnida, 1411
miticides, 1411
phenology, 1161
population dynamics, 1411
spruce budworms, 1161
models
insecticide mixtures, 1263
resistance management, 1263
monitor
pheromones, 1604
traps, 1604
monitoring
attractants, 307
grass loopers, 307
moth behavior, 1460
pheromone traps, 1460
resistance, 1502
Rhagoletis completa, 1191
tobacco budworms, 1502
traps, 1191
mortality
Bacillus thuringiensis, 756
Leptinotarsa decemlineata, 756
oviposition, 932
Pectinophora gossypiella, 932
moth behavior
Diatraea grandiosella, 1460
monitoring, 1460
pheromone traps, 1460
Musca domestica
attraction, 535
erythrosin, 171
filth flies, 412
light traps, 149
manure management, 1145
scatter, 149
Stomoxys calcitrans, 412, 535, 1145
xenobiotics, 1559
muscoid maggot suppression
cyromazine, 1134
dairy husbandry, 1134
mushroom culture
insecticides, 17
pyrethroids, 17
Myzus nicotianae
aggregation, 114
sampling, 114

navel orangeworms
Amyelois transitella, 1096
developmental rate, 1096
Nealtolus curculionis
biological control, 130
Cylindrocopturus adspersus, 130
neem
Nephotettix virescens, 1219
Nilaparvata lugens, 1219
Ootheca bennigseni, 1799
neem seed
Haematobia irritans, 1375
Stomoxys calcitrans, 1375
nematodes
biological control, 762
carrot weevils, 762
Nephotettix virescens
neem, 1219
Nilaparvata lugens, 1219
nesting
domiciles, 401
Osmia sanrafaelae, 401
Nilaparvata lugens
neem, 1219
Nephotettix virescens, 1219
nitrogen fixation
Glycine max, 275
Pseudoplusia includens, 275
Nomuraea rileyi
entomopathogenic fungi, 404
pathogenic fungi, 404
nontarget insects
attractants, 285
Spodoptera frugiperda, 285
NRD-12
HD-1, 193
HD-1-S-1980, 193
nuclear polyhedrosis virus
Congo red, 548
Lymantria dispar, 548

Oebalus pugnax
sampling, 507
Taylor's power law, 507
onion maggots
Delia antiqua, 426
oviposition, 426
Ootheca bennigseni
Azadirachtia indica, 1799
Phaseolus vulgaris, 1799
Ophiomyia phaseoli
bean flies, 246
mass rearing, 316
potassium chloride, 246
soybeans, 316
organophosphates
beetles, 989
Camponotus spp., 1121
carbamate, 1121
Culex quinquefasciatus, 347
pyrethroids, 1121
resistance detection, 347
stored barley, 989
organophosphorus
pyrethroids, 29
toxicity, 29
Osmia sanrafaelae
domiciles, 401
nesting, 401
Ostrinia nubilalis
Aves, 1406
bean resistance, 1169
corn, 1455
diallel cross, 1207
Diplodia maydis, 239
European corn borers, 1423
genotype, 1804
host plant resistance, 239
intercropping, 1455
isothiocyanate, 1054
racial variation, 1169
soybeans, 1454
Spodoptera frugiperda, 1054
sweet corn, 1406
tropical germplasm, 1245
Zea mays, 1207, 1245, 1804
ovicides
Arachnida, 539
Boophilus microplus, 539
ticks, 539
oviposition
Delia antiqua, 426
mortality, 932
onion maggots, 426
Pectinophora gossypiella, 932
oviposition hole size
artificial rearing, 668
Mediterranean fruit fly, 668, 1382
oviposition spheres
Ceratitis capitata, 1382
ovipositional preference
Hypera postica, 264
Medicago sativa, 264
oxamyl
Leptinotarsa decemlineata, 891
tomatoes, 891
Oxyopes salticus
Geocoris spp., 1106
predation, 1106

palatability
Apis mellifera, 1576
insecticides, 1576
pandora moths
Coloradia pandora, 1682
compensatory growth, 1682
defoliation effects, 1682
Panonychus citri
Arachnida, 204
gas exchange, 204

Panonychus ulmi
apples, 197, 354, 692, 1411
Arachnida, 197, 354, 482, 692, 1174
clofentezine, 197
cyhexatin, 354, 692
European red mites, 482
insecticides, 1174
Platynota idaeusalis, 1174
resistance, 354
sampling, 482
papayas
Dacus dorsalis, 1157
fruit flies, 1667
infestation, 1157
quarantine treatment, 1667
parasites
Cadra cautella, 430
filth flies, 412
hydramethylnon bait, 90
Musca domestica, 412
Periplaneta americana, 90
Pteromalidae, 412
Stomoxys calcitrans, 412
stored-product insects, 430
parathion
methyl parathion, 1299
Plutella, 1299
Pardosa ramulosa
Arachnida, 745
biological control, 745
rice, 745
pathogenic fungi
entomopathogenic fungi, 404
Nomuraea rileyi, 404
pear psylla
thresholds, 1448
traps, 1448
pears
Cacopsylla pyricola, 458
insect resistance, 458
pecan nut casebearers
degree-days, 906
sequential sampling, 906
Pectinophora gossypiella
environmental influences, 782
mortality, 932
oviposition, 932
pheromone trap capture, 782
Periplaneta americana
hydramethylnon bait, 90
parasites, 90
sound recordings, 687
ultrasound, 687
permeability
cuticles, 41
pyrethroids, 41
permethrin
methomyl, 639
Pseudoplusia includens, 639
permethrin resistance
azinphosmethyl resistance, 698
Leptinotarsa decemlineata, 698
Persea americana
fruit flies, 556
maturity, 556
persistence
Folsomia candida, 1572
insecticides, 1572
pest interactions
alfalfa, 1782
yield, 1782
pesticide applications
aerial spray simulations, 665
pesticide resistance
Arachnida, 706
polygenic inheritance, 5
propargite, 706
pyrethroids, 5
Tetranychus, 706
pesticides
Apis mellifera, 75
Empoasca fabae, 766
foraging, 75
probing, 766
Phaseolus vulgaris
Azadirachtia indica, 1799
Ootheca bennigseni, 1799
phenology
Aonidiella aurantii, 793
cherry, 788
hawthorn, 788
Hydraecia immanis, 433
modeling, 1161
Rhagoletis pomonella, 788
South Africa, 793
spruce budworms, 1161
thermal requirements, 433
phenylpropanoids
attractants, 123
Diabrotica, 123
pheromone trap capture
environmental influences, 782
Pectinophora gossypiella, 782
pheromone traps
Diatraea grandiosella, 1460
monitoring, 1460
moth behavior, 1460
pheromones
bark beetles, 1702
Dendroctonus ponderosae, 1399
Diabrotica, 1830
direct control, 1702
forestry, 1399
khapra beetles, 1470
monitor, 1604
semiochemicals, 1830
traps, 1470, 1604
Vitacea polistiformis, 1604
Phoenix canariensis
chemical control, 1185
Sabal palmetto, 1185
Pholetesor ornigis
Phyllonorycter blancardella, 319
Sympiesis marylandensis, 319
Phormia regina
bioassays, 1843
insecticidal activity, 1843
photoperiods
actographs, 516
Ceratitis capitata, 1482
Ctenocephalides felis, 516
mass rearing, 1482
Melanagromyza sojae, 584
yield response, 584
Phyllonorycter blancardella
Pholetesor ornigis, 319
Sympiesis marylandensis, 319
phytotoxicity
cotton, 1317
methyl parathion, 1317
pines
Dioryctria auranticella, 879
life history, 879
Pinus ponderosa
Dioryctria, 1691
seed and cone insects, 1691
pistils
foraging activity, 580
pollination, 580
plant injury
Heliothis zea, 1767
soybeans, 1767
plant interaction
distribution, 1358
Homoptera, 1358
plant quarantine
Anastrepha suspensa, 186
cobalt-60, 1386
Cydia pomonella, 1386
Mangifera indica, 186
quarantine security, 186
plant resistance
corn borers, 919
insect–plant interactions, 1675
maize, 919
Prunus, 1675
planting date
banded sunflower moths, 910
sunflowers, 910
Platynota idaeusalis
Arachnida, 1174
bioassays, 1027
insecticide resistance, 1019
insecticides, 1174
Panonychus ulmi, 1174
resistance, 1027
sublethal effects, 1019
Plodia interpunctella
Amyelois transitella, 1391
Cadra cautella, 1508
gamma radiation, 1391
Tribolium castaneum, 1508
Plutella
avermectin, 385
methyl parathion, 1299
parathion, 1299
translaminar activity, 385
Plutella xylostella
avermectin, 385
cabbage, 1397
fenvalerate, 381, 1295
haemolymph, 1033
insecticide resistance, 381
leg autotomy, 1295
pesticide resistance, 5
polygenic inheritance, 5
saline, 1033
pollination
bumble bees, 1061
foraging activity, 580
honey bees, 1350
pistils, 580
strawberries, 1350
polygenic inheritance
pesticide resistance, 5
pyrethroids, 5
Polyphylla decemlineata
almonds, 1738
biology, 1738
ponderosa pine
shoot borers, 543
vegetation management, 543
Popillia japonica
feeding response, 1616
foliar feeding, 220
fruit quality, 220
host plants, 1616
soybeans, 259
Popillia lewisi
attractants, 101
Japanese beetle lures, 101
population dynamics
Arachnida, 1411
miticides, 1411
modeling, 1411
population management
Dacus cucurbitae, 1609
Dacus dorsalis, 1609

population suppression
diflubenzuron, 472
irradiation, 472
postharvest
Cydia pomonella, 1679
quarantine, 1679
potassium chloride
bean flies, 246
Ophiomyia phaseoli, 246
potato leafhoppers
alfalfa, 1091
sequential sampling, 1091
potato leafroll virus
aphids, 1201
insect control, 1201
potato yields
defoliation, 948
Leptinotarsa decemlineata, 948
potatoes
Edovum puttleri, 803
Leptinotarsa decemlineata, 803
predation
Geocoris spp., 1106
Oxyopes salticus, 1106
predators
Arachnida, 621
insecticide effects, 621
probe traps
infestation, 1817
stored barley, 1817
probing
Empoasca fabae, 766
pesticides, 766
production systems
dryland, 599
water management, 599
productivity
Aedes aegypti, 519
lasers, 519
propargite
Arachnida, 706
pesticide resistance, 706
Tetranychus, 706
Prunus
insect–plant interactions, 1675
plant resistance, 1675
Prunus spp.
cold storage, 1152
quarantine pests, 1152
Pseudoplusia includens
feeding rates, 633
Glycine max, 275, 633
methomyl, 639
nitrogen fixation, 275
permethrin, 639
Psoroptes ovis
calves, 175
immunosuppression, 175
Psyllidae
Homoptera, 322
pear psylla, 1448
study cages, 322
pteridines
age grading, 1140
screwworms, 1140
Pteromalidae
filth flies, 412
parasites, 412
pupation inhibition
tetranortriterpenoids, 58
ultraviolet stability, 58
pyrethroids
Camponotus spp., 1121
carbamate, 1121
control, 1527
cotton, 52
Ctenocephalides felis, 839
cuticles, 41
Heliothis, 52, 1495, 1527
Heliothis virescens, 1305
insecticide susceptibility, 839
insecticides, 17
methoxychlor, 873
mushroom culture, 17
organophosphates, 1121
organophosphorous, 29
permeability, 41
pesticide resistance, 5
polygenic inheritance, 5
resistance, 1305, 1495, 1527
Scolytus multistriatus, 873
toxicity, 29

quarantine
Cydia pomonella, 1679
postharvest, 1679
quarantine pests
cold storage, 1152
Prunus spp., 1152
quarantine security
Anastrepha suspensa, 186
Mangifera indica, 186
plant quarantine, 186
quarantine treatment
fruit flies, 1667
papayas, 1667

racial variation
bean resistance, 1169
Ostrinia nubilalis, 1169
radio telemetry
detection, 675
Heliothis, 675
rainfall
cotton, 291
Heliothis, 291
rearing
greenhouse, 1444
leafminers, 1444
rearing techniques
Cercopidae, 1764
spittlebugs, 1764
refuge adjustment
azinphosmethyl, 895
Rhagoletis pomonella, 895
repellency
Diabrotica virgifera virgifera, 773
semiochemicals, 773
reproduction
benzodioxole, 1046
fruit flies, 1046
reproductive effects
Blattella germanica, 833
juvenoids, 833
residual activity
Lissorhoptrus oryzophilus, 645
triflumuron, 645
residual toxicity
Bimbidion, 1543
contact toxicity, 1543
field bioassay, 1543
resistance
Acanthoscelides obtectus, 310
apples, 354
Arachnida, 354, 996
azinphosmethyl, 1003
bioassays, 1027
Blissus leucopterus leucopterus, 616
cyhexatin, 354
Diuraphis noxia, 1251
fitness, 996
Heliothis, 1495, 1527
Heliothis virescens, 1305
immigration, 996
Leptinotarsa decemlineata, 1743
Manduca sexta, 1743
monitoring, 1502
Panonychus ulmi, 354
Platynota idaeusalis, 1027
pyrethroids, 1305, 1495, 1527
sorghum, 616
tobacco budworms, 1502
Tortricidae, 1003
wheat, 1251
Zabrotes subfasciatus, 310
resistance detection
Culex quinquefasciatus, 347
organophosphates, 347
resistance management
bioassay, 1011
insecticide mixtures, 1263
models, 1263
resistance monitoring, 342, 374
Scirtothrips citri, 342, 374
serpentine leafminers, 1011
resistance management models
insecticide resistance, 369
Liriomyza, 369
resistance mechanisms
Blattella germanica, 1512
insecticide resistance, 1512
resistance monitoring
gene frequency, 22
Heliothis virescens, 22
insecticide resistance, 1520
resistance management, 342, 374
Scirtothrips citri, 342, 374
Spodoptera exigua, 1520
resistant germplasm
Rhagoletis pomonella, 1426
Venturia inaequalis, 1426
Reticulitermes
entomogenous nematodes, 1638
termite control, 1638
Rhagoletis completa
monitoring, 1191
traps, 1191
Rhagoletis pomonella
apple maggots, 1716
azinphosmethyl, 895
cherry, 788
hawthorn, 788
host status, 886
malathion bait sprays, 1716
phenology, 788
refuge adjustment, 895
resistant germplasm, 1426
trapping, 886
Venturia inaequalis, 1426
Rhopalosiphum padi
Diuraphis noxia, 439
Schizaphis graminum, 439
rice
Arachnida, 745
biological control, 745
Pardosa ramulosa, 745
rice water weevils
carbofuran, 1757
cultural control, 1757
rice weevils
amylase inhibitors, 1548
wheat, 1548
root regeneration
corn, 1760
Diabrotica virgifera virgifera, 1760
rusty grain beetles
dispersal, 655
stored products, 655

Sabal palmetto
chemical control, 1185
Phoenix canariensis, 1185
Saccharum
biological control, 740
white grubs, 740
saline
haemolymph, 1033
Plutella xylostella, 1033
sampling
Arachnida, 482
aggregation, 114
Campylomma verbasci, 510
cauliflower, 829
degree-days, 825
distribution, 510
European red mites, 482
Heliothis virescens, 574
Heliothis zea, 574
Hypera postica, 825
integrated pest management, 180
Lepidoptera, 829
Myzus nicotianae, 114
Oebalus pugnax, 507
Panonychus ulmi, 482
Taylor's power law, 507
sampling comparison
lentils, 491
sweep nets, 491
scatter
light traps, 149
Musca domestica, 149
Scelionidae
biological control, 1078
insecticides, 1078
Schizaphis graminum
Diuraphis noxia, 439
Hippodamia convergens, 570
Rhopalosiphum padi, 439
tri-trophic interactions, 570
Scirtothrips citri
resistance management, 342, 374
resistance monitoring, 342, 374
Scolytus multistriatus
methoxychlor, 873
pyrethroids, 873
screwworms
age grading, 1140
pteridines, 1140
seasonal abundance
cabbage pests, 811
within-plant distribution, 811
security risks
fruit flies, 189
mangoes, 189
seed and cone insects
Dioryctria, 1691
Pinus ponderosa, 1691
semiochemicals
Diabrotica, 1830
Diabrotica virgifera virgifera, 773
pheromones, 1830
repellency, 773
sequential sampling
alfalfa, 1091
degree-days, 906
pecan nut casebearers, 906
potato leafhoppers, 1091
serpentine leafminers
bioassay, 1011
resistance management, 1011
sex pheromones
Harrisina brillians, 454
sharpshooter leafhoppers
citrus blight, 1733
insecticides, 1733
sheep scab mites
Arachnida, 175
calves, 175
immunosuppression, 175
shoot borers
ponderosa pine, 543
vegetation management, 543
silica aerogel
stored-product insects, 960
survival, 960
silking intervals
barrenness, 226
Diabrotica virgifera virgifera, 226
Sitona hispidulus
alfalfa, 1749
Hypera postica, 1749
Sitophilus oryzae
amylase inhibitors, 1548
grain, 727
insectistatic activity, 727
wheat, 1548
Sitophilus zeamais
general combining ability, 1466
maternal effects, 1466
soil
corn rootworms, 389
insecticides, 389
soil insecticides
insecticide toxicity, 913
spined stilt bugs, 913
Solenopsis invicta
ants, 1646
control, 1646
somaclonal variation
Cynodon dactylon, 236
Spodoptera frugiperda, 236
sorghum
Blissus leucopterus leucopterus, 616
resistance, 616
Sorghum bicolor
Elasmopalpus lignosellus, 270
sound recordings
Periplaneta americana, 687
ultrasound, 687
South Africa
Aonidiella auranti, 793
phenology, 793
southwestern corn borers
development, 1230
development models, 1230
soybeans
germplasm, 259
Heliothis zea, 1767
Japanese beetles, 259
mass rearing, 316
Ophiomyia phaseoli, 316
Ostrinia nubilalis, 1455
plant injury, 1767
spatial variability
geostatistics, 1270
hazard prediction, 1270
spined stilt bugs
insecticide toxicity, 913
soil insecticides, 913
Spissistilus festinus
flight, 1101
Glycine max, 1101
spittlebugs
Cercopidae, 1764
rearing techniques, 1764
Spodoptera exigua
Bacillus thuringiensis, 1593
beet armyworms, 1593
Heliothis zea, 935
insecticide resistance, 1520
resistance monitoring, 1520
tomatoes, 935
Spodoptera frugiperda
attractants, 285
Cynodon dactylon, 232, 236
decision making, 134
isothiocyanate, 1054
nontarget insects, 285
Ostrinia nubilalis, 1054
somaclonal variation, 236
sweet corn, 1197
tissue culture, 232
spruce budworms
modeling, 1161
phenology, 1161
statistics
Amyelois transitella, 716
head capsule width, 716
stink bugs
Zea mays, 445
Stomoxys calcitrans
filth flies, 412
Haematobia irritans, 1375
manure management, 1145
Musca domestica, 412, 535, 1145
neem seed, 1375
storage
diapause, 1490
tobacco budworms, 1490
stored barley
beetles, 989
infestation, 1817
organophosphates, 989
probe traps, 1817
stored peanuts
chlorpyrifos-methyl, 660
stored products
dispersal, 655
rusty grain beetles, 655
stored-grain insects
temperature, 970
trapping, 970
stored-product insects
Cadra cautella, 430
infestation, 1817
parasites, 430
probe traps, 1817
silica aerogel, 960
survival, 960
strawberries
honey bees, 1350
pollination, 1350
stress
cotton, 593
fruit size, 593
study cages
Homoptera, 322
Psyllidae, 322
sublethal effects
insecticide resistance, 1019
Platynota idaeusalis, 1019
sugar feeding
behavior, 1344
corn earworms, 1344
sulcatol
ethanol, 1687
Gnathotrichus, 1687
sunflowers
banded sunflower moths, 910
planting date, 910
survival
Diuraphis noxia, 119
fecundity, 119
silica aerogel, 960
stored-product insects, 960
sweep nets
lentils, 491
sampling comparison, 491
sweet corn
Aves, 1406
fall armyworms, 1197
insect–plant relationships, 1197
Ostrinia nubilalis, 1406

screwworm-4
Cochliomyia hominivorax, 1580
dispersal, 1580
symbiont
detoxification, 396
Lasioderma serricorne, 396
Sympiesis marylandensis
Pholetesor ornigis, 319
Phyllonorycter blancardella, 319
systematics
electrophoresis, 23
enzymes, 23
systemic control
Arachnida, 1650
Amblyomma americanum, 1650
ivermectin, 1650

Taylor's power law
Oebalus pugnax, 507
sampling, 507
techniques
damage, 1836
feeding, 1836
temperature
stored-grain insects, 970
trapping, 970
Tephritidae
acephate, 1564
Anastrepha suspensa, 139
metabolism, 1564
trapping, 139
termite control
bait-block technique, 1370
caste differentiation, 1370
entomogenous nematodes, 1638
Reticulitermes, 1638
termites
bait toxicants, 1125
feeding, 1363
growth regulators, 1125
thigmotaxis, 1363
Tetanops myopaeformis
action thresholds, 608
economic injury levels, 608
tetranortriterpenoids
pupation inhibition, 58
ultraviolet stability, 58
Tetranychus
Arachnida, 706
pesticide resistance, 706
propargite, 706
Tetranychus pacificus
acaricides, 11
Arachnida, 11
integrated pest management, 11
Tetranychus urticae
Arachnida, 462
Gossypium hirsutum, 462
host plant resistance, 462
resistance, 996
thermal requirements
Hydraecia immanis, 433
phenology, 433
thigmotaxis
feeding, 1363
termites, 1363
thresholds
pear psylla, 1448
traps, 1448
Thrips tabaci
Allium cepa, 561
Thuricide 48LV
Choristoneura fumiferana, 868
foliar persistence, 868
ticks
Arachnida, 539
Boophilus microplus, 539
ovicides, 539
tissue culture
Cynodon dactylon, 232
Spodoptera frugiperda, 232
tobacco budworms
amitraz, 1328
bollworms, 1328
diapause, 1490
monitoring, 1502
resistance, 1502
storage, 1490
tolerance
antibiosis, 1779
Diuraphis noxia, 1779
tomatoes
Heliothis zea, 935
Leptinotarsa decemlineata, 891
oxamyl, 891
Spodoptera exigua, 935
topical ivermectin
Dermatobia hominis, 847
efficacy, 847
Tortricidae
azinphosmethyl, 1003
resistance, 1003
toxicity
organophosphorous, 29
pyrethroids, 29
toxicity indexes
concentration and time products, 156
Coptotermes formosanus, 156
tracheal mite infestation
Acarapis woodi, 734
Apis mellifera, 734
Arachnida, 734
translaminar activity
avermectin, 385
Plutella, 385
trap design
Delia antiqua, 251
trapping protocols, 251
trapping
Anastrepha suspensa, 139
cattle, 530
Haematobia irritans, 530
host status, 886
Rhagoletis pomonella, 886
stored-grain insects, 970
temperature, 970
Tephritidae, 139
trapping protocols
Delia antiqua, 251
trap design, 251
traps
attraction, 535
khapra beetles, 1470
lights, 535
monitor, 1604
monitoring, 1191
pear psylla, 1448
pheromones, 1470, 1604
Rhagoletis completa, 1191
thresholds, 1448
tri-trophic interactions
Hippodamia convergens, 570
Schizaphis graminum, 570
Tribolium castaneum
Cadra cautella, 1508
Plodia interpunctella, 1508
Trichoplusia ni
broccoli yield response, 1437
cabbage loopers, 1437
triflumuron
Lissorhoptrus oryzophilus, 645
residual activity, 645
trimedlure
Ceratitis capitata, 860
controlled release, 860
Triticum aestivum
Diuraphis noxia, 466
host plant resistance, 301, 466
Mayetiola destructor, 301
tropical germplasm
Ostrinia nubilalis, 1245
Zea mays, 1245
turf
grasses, 1729
host plant resistance, 1729

ultrasound
Periplaneta americana, 687
sound recordings, 687
ultraviolet stability
pupation inhibition, 58
tetranortriterpenoids, 58
uniform spray drops
Endopiza viteana, 1180
fenpropathrin, 1180
uptake
aldicarb, 1237
hops, 1237
uric acid
distiller's grain, 159
video, 159

vegetation management
ponderosa pine, 543
shoot borers, 543
Venturia inaequalis
resistant germplasm, 1426
Rhagoletis pomonella, 1426
video
distiller's grain, 159
uric acid, 159
viruses
disease prevention, 1709
floating row covers, 1709
Vitacea polistiformis
pheromones, 1604
traps, 1604

Washington
field trials, 281
yield, 281
water loss
Blattella germanica, 842
carbamate, 842
water management
dryland, 599
production systems, 599
water-sensitive paper
aerial deposition, 974
insecticides, 974
weed control
alfalfa, 923
Empoasca fabae, 923
weeping lovegrass
boll weevils, 799
Eragrostis curvula, 799
western corn rootworms
Diabrotica, 1792
insecticides, 1792
wheat
amylase inhibitors, 1548
Diuraphis noxia, 1251, 1779
resistance, 1251
rice weevils, 1548
white grubs
biological control, 740
Saccharum, 740
wild cotton
Anthonomus grandis, 1626
ecology, 1626
wild host plants
eradication, 449

within-plant distribution
cabbage pests, 811
seasonal abundance, 811
wood moisture
Coptotermes formosanus, 95
feeding preference, 95

xenobiotics
cytochrome P-450, 1559
insect microsomes, 1559

yield
alfalfa, 1782
defoliation, 1212
field trials, 281
Lygus, 281
Mexican bean beetles, 1212
pest interactions, 1782
Washington, 281
yield enhancement
cotton yield response, 626
Gossypium hirsutum, 626
yield response
Melanagromyza sojae, 584
photoperiods, 584

Zabrotes subfasciatus
Acanthoscelides obtectus, 310
resistance, 310
Zea mays
diallel cross, 1207
genotype, 1804
Ostrinia nubilalis, 1207, 1245, 1804
stink bugs, 445
sweet corn, 1406
tropical germplasm, 1245